

Internal Wall Lintel - CN92 and CN102

Partition and loadbearing wall lintel



Benefits



a Integral Plaster key

Lozenge shaped staggered holes to sides of corrugated profile

· Suitable for nominal domestic loading

Note: Whilst the above information is intended to offer general guidance regarding typical applications, it should not be considered as comprehensive. Requirements not fully covered by the above should be referred to our technical services department for individual consideration.

75mm and 100mm Interior Solid Walls



Standard lengths are available in increments of 150mm.

Extra Light Duty





CN92	
Standard lengths (mm)	1050-1200
SWL (kN)	7
Weight (kg/m)	1.2
Nominal height'h'(mm)	25

Note: When using CN92 and CN102 lintels normal building practice should be observed, in that one course of blockwork should be laid on the lintel and the mortar allowed to harden for at least 24 hours before additional loads are applied.



The SWL (safe working load) is based on the total UDL (uniform distributed load) over maximum span using 75mm end bearings for CN92 and CN102.

Catnic

Pontypandy Industrial Estate Caerphilly CF83 3GI T: 029 2033 7900 F: 029 2086 7796

www.catnic.com

Care has been taken to ensure that the contents of this publication are accurate, but Tata Steel Europe Limited and its subsidiaries, which includes Tata Steel UK Limited, do not accept responsibility or liability for errors or information that is found to be misleading. Before using products or services supplied or manufactured by Tata Steel Europe Limited and its subsidiaries, customers should satisfy themselves as to their suitability.