

Cavity Wall Lintel - CX50/100

Open back lintel

Benefits

Easy-to-use open back profile

Allows masonry to be built up continuously on both outer and inner leaf



The CG, CH and CX ranges are formed from galvanised steel, then powder coated



Ensures optimum durability and longevity



Saves time in construction and means cavity is easy to clean without risk of damage to DPC



With staggered slots applied to the inner flange and ribbed underside of insulation (perforated steel baseplate on CH and CX range)

Continuous insulation

Maximising thermal efficiency, minimising cold bridging

Features:

- · Triangulated masonry load
- Supporting uniformly distributed masonry load
- · Supporting uniformly distributed timber floor and roof loads
- Suitable for fair faced inner leaf masonry
- Supports concrete floors
- Attic truss loads
- · Larger span multiple truss loads

Conditions of use:

- Nominal 150mm end bearings
- Both leaves are raised together
- One course of block prior to installation of floor/roof

Note: Whilst the above information is intended to offer general guidance regarding typical applications, it should not be considered as comprehensive. Requirements not fully covered by the above should be referred to our technical services department for individual consideration.

Pontypandy Industrial Estate Caerphilly CF83 3GL T: 029 2033 7900 F: 029 2086 7796

50-65mm Cavity

100-115mm Inner Leaf


All ratios are shown inner to outer

Extra Heavy Duty





Standard lengths are available in 150mm increments up to 3000mm, 300mm at lengths 3000mm to 4800mm (including 4575mm, but excluding 4500mm).



CX50/100				
Standard lengths (mm)	900- 2700	2850- 3000	3300- 3900	4200- 4800
SWL 1:1/19:1 (kN)	60	55	50	32
Weight (kg/m)	16.0	16.0	19.4	19.4
Nominal height 'h' (mm)	232	232	232	232



The SWL (safe working load) is based on the total UDL (uniform distributed load) over maximum span using 150mm end bearings.

Concrete Floor Loads

When using the Catnic **CH** and **CX** open back ranges with concrete floors, always ensure that the blockwork is built tight against the inner vertical face of the lintel and that a mortar joint is added to the top of the blockwork so that the floor units have an even spread over the inner flange of the lintel.

Note: To achieve the 'CH and CX' loading figures indicated, lintels must be built-in as illustrated, ensuring that the blockwork infill is well-jointed during construction and compatible with the strength of the masonry above.



Where CH and CX lintels are required to support greater loads than the figures published please contact our **Technical Services Department on**

29 2033 7900

www.catnic.com

Care has been taken to ensure that the contents of this publication are accurate, but Tata Steel Europe Limited and its subsidiaries, which includes Tata Steel UK Limited, do not accept responsibility or liability for errors or information that is found to be misleading. Before using products or services supplied or manufactured by Tata Steel Europe Limited and its subsidiaries, customers should satisfy themselves as to their suitability.